

Bodywork:

38.	Code for bodywork:	BB
40.	Colour of vehicle:	Green
41.	Number and configuration of doors:	3, cab 1 on the left and 2 right
42.	Number of seating positions (including the driver):	2

Coupling device:

44.	Approval number or approval mark of coupling device:	E8 55R-01 55868
45.1	Characteristics values:	D: 17,2 kN S: 140 kg

Environmental performances:

46.	Sound level: Stationary:	84 dB(A) at engine speed 3 188 min ⁻¹
	Drive-by:	74,7 dB(A)
47.	Exhaust emission level:	Euro 6d-ISC-FCM
48.	Number of the base regulatory act and latest amending regulatory act applicable:	715/2007*2018/1832AR
49.	CO ₂ emissions:	WLTP 310 g/km combined
	Fuel consumption:	13,4 l/100 km combined

Miscellaneous:

50.	Type-approved according to the design requirements for transporting dangerous goods:	No
52.	Remarks:	Alternative tyre / wheel combination: 6,5Jx16; 225/75 R16 107P 6,5Jx16; 245/70 R16 107P 7Jx16; 245/70 R16 107P 8Jx16; 245/70 R16 107P 8Jx16; 245/75 R16 107P

**EU INDIVIDUAL VEHICLE APPROVAL CERTIFICATE**

Communication concerning granting of:

EU individual vehicle approval in accordance with Article 44 of Regulation (EU) 2018/858

Number of the EU individual vehicle approval certificate:

e8*IV18/858*HI2047

Manufacturer's representative:

1.	Name:	UAZ Belgium BV
2.	Date:	16.03.2022
3.	Place:	Kalmthout, Belgium
4.	Signature:	
	Jacques Koelewijn	

(duplicate)

SECTION I

The undersigned hereby certifies that the vehicle:

0.1	Trade name of manufacturer:	UAZ
0.2	Type:	2206
	Variant:	220695
	Version:	-
0.2.1	Commercial name:	UAZ SGR Anniversary
0.4	Category of vehicle:	N1G
0.5	Name and address of the manufacturer:	Ul'yanovskiy Avtomobil'nyy Zavod Moskovskoye shosse 92 432034 Ul'yanovsk Russian Federation
0.6	Location and method of attachment of the statutory plates:	Above windscreen on the right side, self adhesive label
	Location of the vehicle identification number:	Stamped above right door aperture
0.9	Name and address of the manufacturer's representative:	UAZ Belgium BV Augustijnsdreef 17 2920 Kalmthout Belgium
0.10	Vehicle identification number:	XTT220695N1209058
	Date of approval:	16.03.2022
	Number of approval:	e8*IV18/858*HI2047

was granted EU individual vehicle approval in accordance with Article 44 of Regulation (EU) 2018/858 by the deputy head of department of the Czech ministry of transport on March 16, 2022.

The vehicle complies with appendix 2 to part I of Annex II to Regulation (EU) 2018/858.

The vehicle can be permanently registered without further approval in Member States having right hand traffic and using metric units for the speedometer.

SECTION II

1.	Technical service responsible for carrying out the tests:	TZV CZ s.r.o. Libcany 230, 503 22 Czech Republic
2.	Date of test reports:	10.03.2022
3.	Number of test reports:	21-TZV-0176

PART 2

General construction characteristics:

1.	Number of axles:	2
	Number of wheels:	4
3.	Powered axles:	2, 1+2
3.1	The vehicle is:	Non-automated

Main dimensions:

4.	Wheelbase:	2 300 mm
5.	Lenght:	4 389 mm
6.	Width:	1 958 mm
7.	Height:	2 066 mm
11.	Lenght of the loading area:	2 690 mm

Masses:

13.2	Actual mass of the vehicle:	1 992 kg
16.1	Technically permissible maximum laden mass:	3 070 kg
16.2	Technically permissible mass on each axle:	1 - 1 650 kg 2 - 1 950 kg
16.4	Technically permissible maximum mass of the combination:	6 570 kg
18.3	Centre-axle trailer:	3 500 kg
18.4	Unbraked trailer:	750 kg
19.	Technically permissible maximum static vertical mass at the coupling point:	140 kg

Power plant:

20.	Manufacturer of the engine:	OAO Zavolzskiy motornyj zavod
21.	Engine code as marked on the engine:	409110
22.	Working principle:	SI, 4-stroke
23.	Pure electric:	No
24.	Number and arrangement of cylinders:	4, in line
25.	Engine capacity:	2 693 cm ³
26.	Fuel:	Petrol
26.1	Mono fuel	
27.	Maximum power:	
27.1	Maximum net power:	82,5 kW at 4 250 min ⁻¹
28.	Gearbox (type):	Manual

Maximum speed:

29.	Maximum speed:	120 km/h
-----	----------------	----------

Axles and suspension:

30.	Axle(s) track:	1 - 1 476 mm 2 - 1 462 mm
35.	Fitted tyre/wheel combination:	1 - 6,5J x 16; 225/75 R16 108H 2 - 6,5J x 16; 225/75 R16 108H